



HB42®

Le Filla Whole Job Wood Filler

25/01/2019 - Vs.1

SAFETY DATA SHEET

HB42 Le Filla Whole Job Ready Mixed Wood Filler

Section 1: identification of the substance and of the company undertaking

1.1 Product identifier

Trade name HB42 Le Filla Whole Job Wood Filler

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified Use(s)

Mixture uses: PC1 Adhesives, sealants.

1.3 Details of the supplier of the safety data sheet

Company name: Hilton Banks Limited, Oldfield Road, Hampton, Middlesex, TW12 2HR, United Kingdom

Telephone: +44 (0)20 8979 8284

Fax: +44 (0)20 8979 8294

E-mail: enquiries@hb42.co.uk

1.4 Emergency telephone number

Emergency Phone No. +44 (0)20 8979 8284

Section 2: hazards identification

2.1 classification of the substance/ mixture

Classification under CLP: Skin Sens. 1A: H317

Most important adverse effects: May cause an allergic skin reaction.



HB42®

Le Filla Whole Job Wood Filler

2.2 label elements

Label elements:

Hazard statements: H317: May cause an allergic skin reaction.

Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

Precautionary statements: P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P362+P364: Take off contaminated clothing and wash it before reuse.

2.3 other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/ information of ingredients

3.2 mixtures

Non-classified ingredients:

2-METHYLISOTHIAZOL-3(2H)-ONE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
220-239-6	2682-20-4	-	Acute Tox. 2: H330; Acute Tox. 3: H311; Acute Tox. 3: H301; Skin Corr. 1B: H314; Skin Sens. 1A: H317; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Aquatic Acute 1: H400; -: EUH071	<1%



HB42®

Le Filla Whole Job Wood Filler

Section 4: First-Aid measures

4.1 description of first aid measures

- Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor.
- Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.
- Ingestion:** Wash out mouth with water. Consult a doctor.
- Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2 most important symptoms and effects, both acute and delayed.

- Skin contact:** There may be irritation and redness at the site of contact.
- Eye contact:** There may be irritation and redness. The eyes may water profusely.
- Ingestion:** There may be soreness and redness of the mouth and throat.
- Inhalation:** Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

4.3 indication of any immediate medical attention and special treatment needed.

Immediate treatment: not applicable

Section 5: Fire-Fighting measures

5.1 extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2 special hazards arising from substance or mixture.

Exposure hazards: In combustion emits toxic fumes.

5.3 advice for fire fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes

Section 6: Accidental release measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust.

6.2 Environmental Precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3 Methods and Material for Containment and Cleaning Up



HB42®

Le Filla Whole Job Wood Filler

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4 Reference to Other

Sections Any information on personal protection and disposal is given in sections 8

Section 7: Handling and storage

7.1 Precautions for Safe Handling

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Store in a cool, well-ventilated area.
Keep container tightly closed.
Must only be kept in original packaging.

7.3 Specific end use(s)

No data available

Section 8: Exposure controls/ personal protection

8.1 control parameters

Workplace exposure limits: no data available

DNEL/PNEC: No data available

8.2 exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.
Respiratory protective device with particle filter.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

State:	Solid
Colour:	Various
Odour:	Barely perceptible odour
Evaporation rate:	Slow



HB42®

Le Filla Whole Job Wood Filler

Solubility in water: Highly soluble
Viscosity: Non-viscous
Relative density: 1.80g/cc

9.2 other information

No other data available

Section 10: Stability and reactivity

10.1 Reactivity

Stable under recommended transport and/or storage conditions

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

10.4 Conditions to avoid.

Heat

10.5 Incompatible materials

Strong oxidizing agents. Strong acids

10.6 Hazardous decomposition products

In combustion emits toxic fumes



HB42®

Le Filla Whole Job Wood Filler

Section 11: toxicological information

11.1 information on toxicological effects

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

Section 12: ecological information

12.1 Toxicity

Ecotoxicity values: no data available

12.3. Bio accumulative potential

No bioaccumulation potential.

12.4. Mobility in soil

Readily absorbed into soil

12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Negligible ecotoxicity



HB42®

Le Filla Whole Job Wood Filler

Section 13: disposable considerations

13.1 waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

This product does not require a classification for transport.

Section 15: regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: not applicable

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

Section 16: other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH071: Corrosive to the respiratory tract.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H330: Fatal if inhaled.

H410: Very toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.



HB42®

Le Filla Whole Job Wood Filler

The information supplied herein is accurate to the best of our knowledge. Since conditions and methods are beyond our control, no warranty is expressed or implied. You are advised to assess the suitability of the product on a test area before application.

Date of issue: 25th January 2019

Hilton Banks Ltd

74 Oldfield Road

Hampton

Middx

TW12 2HR

UK

Tel: +44 (0)20 8979 8284

Fax: +44 (0)20 8979 8294

www.hiltonbanks.com

sales@hiltonbanks.com

